

GENEROS ECUATORIANOS "ECUAGENERA Cía. Ltda."

ORQUIDEAS DEL ECUADOR

Vía a Cuenca Km 2 Av. Principal S/N - Sector Llampasay, Gualaceo.

TELEFONO: 2255237 FAX: 2255236 CASILLA: 01.01.1110

www.ecuagenera.com



PRICE LIST 2019

Instruccions to make your order

1. Enter the desired Quantity of Plants in the Column "Quantity / Order". The "Total" column will update automatically.

2. Type your personal information in the end of the list

3. Type the delivery form in the end of the list. Please indicate if you can receive at some of the shows that we will participate or will need the delivery to your address.

4. Send your order to info@ecuagenera.com or ecuagenera.sales@gmail.com and will receive the invoice including the handling and shipping cost.

Important information: According to International regulations, the plants must be shipped bare root, that means free of substrate. In order to provide to the plant the necessary hydration, we covered its roots with sphagnum moss.

TROPICAL PLANTS

GENUS	SPECIE	OBSERVACIONES	PRICE	CLIMATE	Quantity / Order	TOTAL
Adelonema	palidinerium	New	35	I		\$ -
Adelonema	peltata		50	IW		\$ -
Adelonema	picturatum		22	I		\$ -
Aechmea	Blue Tange			I		\$ -
Aechmea	Del Mar			IW		\$ -
Aechmea	drakeana		18	IW		\$ -
Aechmea	drakeana 1		14	IW		\$ -
Aechmea	hoppii		22	W		\$ -
Aechmea	manzanaresiana		20	IC		\$ -
Aechmea	mertensii		15	W		\$ -
Aechmea	nudicaulis		15	IW		\$ -
Aechmea	retusa		25	I		\$ -
Aglaonema	Siam Aurora		15	IW		\$ -
Aglaonema	Siam Red		25	IW		\$ -
Alloplectus	sprucei		18	IW		\$ -
Alocasia	cuprea		25	I		\$ -
Anthurium	acaule		25	W		\$ -
Anthurium	acaule 7		25	W		\$ -
Anthurium	andreanum		20	IW		\$ -
Anthurium	angamarcantum type		30	IW		\$ -
Anthurium	Aramon		12	I		\$ -
Anthurium	argyrostachyum		25	IW		\$ -
Anthurium	argyrostachyum villosum	New		IW		\$ -
Anthurium	avium 3		20	W		\$ -
Anthurium	balaoanum	New	25	IW		\$ -
Anthurium	brownii 5		25	IW		\$ -
Anthurium	bullatus		30	IW		\$ -
Anthurium	cabrerense		25	IC		\$ -
Anthurium	California		12	I		\$ -
Anthurium	carinatum		25	IW		\$ -
Anthurium	Chocolate		12	I		\$ -
Anthurium	clavigerum	New	30	IW		\$ -
Anthurium	colorado			I		\$ -
Anthurium	compact		25	I		\$ -
Anthurium	coriaceum		25	IW		\$ -
Anthurium	coriaceum 7		25	IW		\$ -
Anthurium	crystalinum		40	I		\$ -
Anthurium	effusilobum		25	IW		\$ -
Anthurium	effusispathum		25	IW		\$ -
Anthurium	ernestii		20	IW		\$ -

Anthurium	fasciale affin		25	IW		\$ -
Anthurium	Fire Glow		12	I		\$ -
Anthurium	Giant Chocolate			I		\$ -
Anthurium	gracile		25	I		\$ -
Anthurium	grandifolium		45	I		\$ -
Anthurium	gymnopus 2		25	IW		\$ -
Anthurium	gymnopus 3		25	IW		\$ -
Anthurium	gymnopus 4		30	IW		\$ -
Anthurium	huixtlense		22	IW		\$ -
Anthurium	insigne 'Paquishae Rojo'		25	IW		\$ -
Anthurium	insigne 001		25	IW		\$ -
Anthurium	insigne Hoja Grande		35	IW		\$ -
Anthurium	insigne var panguiensii 1		30	IW		\$ -
Anthurium	Kerrich Roseblush		15	I		\$ -
Anthurium	lineolatum	New	30	I		\$ -
Anthurium	loefgrenii		25	IW		\$ -
Anthurium	longistrorsum		25	I		\$ -
Anthurium	marmoratum 2	New	25	IW		\$ -
Anthurium	marmoratum aff		30	IW		\$ -
Anthurium	Matiz			IW		\$ -
Anthurium	michelii		20	IW		\$ -
Anthurium	Million			I		\$ -
Anthurium	Miss June		10	I		\$ -
Anthurium	Mystique			I		\$ -
Anthurium	Nebraska			I		\$ -
Anthurium	ovatifolium		20	W		\$ -
Anthurium	oxycarpum		25	IW		\$ -
Anthurium	oxycarpum 2		20	IW		\$ -
Anthurium	oxycarpum type		20	IW		\$ -
Anthurium	pedatum	New	25	IW		\$ -
Anthurium	polyneuron 3		25	IW		\$ -
Anthurium	polyschistum 1		20	IW		\$ -
Anthurium	polyschistum 3		22	IW		\$ -
Anthurium	polystictum			I		\$ -
Anthurium	pseudoclavigerum	New		I		\$ -
Anthurium	Purple Love			IW		\$ -
Anthurium	Red Heart			I		\$ -
Anthurium	Red Success			IW		\$ -
Anthurium	reflexinervium		35	IW		\$ -
Anthurium	salgarensis		35	I		\$ -
Anthurium	scolopendrinum 1		25	IW		\$ -
Anthurium	scolopendrinum 2		28	IW		\$ -
Anthurium	Sierra Red			I		\$ -
Anthurium	spathulatum		25	IW		\$ -
Anthurium	splendidum 3		25	IW		\$ -
Anthurium	Sweet Dream			I		\$ -
Anthurium	Tickled Pink		12	I		\$ -
Anthurium	Trampolino		12	W		\$ -
Anthurium	triphyllum type		25	I		\$ -
Anthurium	tysonii 2		22	I		\$ -
Anthurium	Utah			IW		\$ -
Anthurium	vanderknaapii		25	IW		\$ -
Anthurium	Vanilla			I		\$ -
Anthurium	veitchii 2		30	IW		\$ -
Anthurium	veitchii 8		30	IW		\$ -
Anthurium	warocqueanum	15 cm	50	IW		\$ -
Anthurium	watermalense 1		28	W		\$ -
Anthurium	weberbaueri	New	30	W		\$ -
Anthurium	White Heart		12	I		\$ -
Aphelandra	aurantiaca var. nitens		25	I		\$ -
Asplenium	nidus		17	IW		\$ -
Begonia	glabra		15	I		\$ -

Begonia	ludwigii		25	I		\$ -
Begonia	lugonis		12	I		\$ -
Begonia	rex 2		5	W		\$ -
Begonia	rex china doll		5	W		\$ -
Begonia	rex manda's eyelash		5	W		\$ -
Begonia	rex salamander		5	W		\$ -
Begonia	segregata		12	I		\$ -
Begonia	sizemoreae		10	W		\$ -
Bellucia	pentamera		30	IW		\$ -
Billbergia	rosea		25	IW		\$ -
Biophytum	zenkeri 2		15	W		\$ -
Bomarea	multiflora		15	I		\$ -
Borojoa	patinoi		30	IW		\$ -
Brownea	macrophylla		28	W		\$ -
Brunfelsia	amazonica		18	I		\$ -
Caladium	bicolor		15	W		\$ -
Caladium	hortulanum		8	IW		\$ -
Caladium	hortulanum 1		8	IW		\$ -
Caladium	smaragdinum		10	IW		\$ -
Caladium	Versicolor		15	I		\$ -
Caladium	Versicolor #1		15	I		\$ -
Caladium	Thai Beauty		25	I		\$ -
Calathea	aemula 4		18	IW		\$ -
Calathea	loesneri		15	IW		\$ -
Calathea	loesneri 1		15	IW		\$ -
Calathea	loesneri 2		18	IW		\$ -
Calathea	loesneri 3		12	IW		\$ -
Calathea	magnifica		10	W		\$ -
Calathea	magnifica 1		10	W		\$ -
Calathea	metallica		18	IW		\$ -
Calathea	ornata		15	IW		\$ -
Calathea	picturata		12	I		\$ -
Calathea	rufibarba		18	IW		\$ -
Calathea	veitchiana		22	IW		\$ -
Calathea	zebrina 1		20	IW		\$ -
Campyloneurum	muscifolium		10	I		\$ -
Cavendishia	bracteata		25	IC		\$ -
Cecropia	obtusifolia		30	IW		\$ -
Ceratostema	glans		22	I		\$ -
Ceratostema	rauhii		25	I		\$ -
Ceratostema	rauhii var. villosa		25	I		\$ -
Ceroxylon	parvifrons		25	IW		\$ -
Chamaeranthemum	venosum 1		25	W		\$ -
Columnea	brenneri		15	IW		\$ -
Columnea	colombiana		18	IW		\$ -
Columnea	crassicaulis		18	I		\$ -
Columnea	eburnea		18	I		\$ -
Columnea	ericae		18	I		\$ -
Columnea	flexiflora		18	IW		\$ -
Columnea	herthae		18	IW		\$ -
Columnea	medicinalis		15	I		\$ -
Columnea	minor		18	I		\$ -
Columnea	orientadina		10	IW		\$ -
Columnea	ornata		18	IW		\$ -
Columnea	poortmannii		17	I		\$ -
Columnea	rubriacuta		20	IW		\$ -
Columnea	spathulata		15	W		\$ -
Columnea	strigosa		15	IW		\$ -
Columnea	tenella		20	IW		\$ -
Columnea	tessmannii		10	IW		\$ -
Columnea	trollii		20	I		\$ -
Copstus	sanguineus		14	W		\$ -

Copstus	sanguineus metallicum		25	W		\$ -
Copstus	sanguineus mini		25	W		\$ -
Corytoplectus	cutucuensis		12	IW		\$ -
Corytoplectus	speciosus		20	I		\$ -
Corytoplectus	speciosus light		20	I		\$ -
Cryptanthus	fosterianus		10	W		\$ -
Dicranoglossum	panamense	New	18	W		\$ -
Dicranopygium	cuatrecasasianum		25	I		\$ -
Dicranopygium	stenophyllum		25	I		\$ -
Dieffenbachia	tricolor		12	W		\$ -
Dioscorea	discolor		18	I		\$ -
Dracontium	spruceanum		15	W		\$ -
Drymonia	affinis		15	I		\$ -
Drymonia	chiribogana		18	IW		\$ -
Drymonia	hoppii		15	I		\$ -
Drymonia	hoppii orange		15	I		\$ -
Drymonia	macrantha		15	I		\$ -
Drymonia	serrulata		18	I		\$ -
Drymonia	turrialvae		18	IW		\$ -
Elaphoglossum	crinitum		20	IW		\$ -
Elaphoglossum	crinitum 1		20	IW		\$ -
Elaphoglossum	decoratum		20	IW		\$ -
Elaphoglossum	eximium		20	I		\$ -
Elaphoglossum	lanceolatum		12	W		\$ -
Elaphoglossum	metallicum		15	IW		\$ -
Elaphoglossum	peltatum		18	I		\$ -
Episcia	cupreata		12	IW		\$ -
Episcia	cupreata 1		12	IW		\$ -
Episcia	metallica		15	IW		\$ -
Episcia	punctata		12	I		\$ -
Eucharis	moorei		15	I		\$ -
Eugenia	stipitata		18	W		\$ -
Fuchsia	loxensis		20	IC		\$ -
Fuchsia	vulcanica		20	IC		\$ -
Geogenanthus	ciliatus		15	IW		\$ -
Geonoma	atrovirens		100	I		\$ -
Gurania	eriantha		15	I		\$ -
Gustavia	angustifolia		45	I		\$ -
Guzmania	andreettae		18	I		\$ -
Guzmania	angustifolia		18	I		\$ -
Guzmania	comosa		12	W		\$ -
Guzmania	condorensis		15	IW		\$ -
Guzmania	conglomerata		20	IW		\$ -
Guzmania	danielii		20	I		\$ -
Guzmania	Davine		12	I		\$ -
Guzmania	devansayana		14	IW		\$ -
Guzmania	devansayana 1		12	IW		\$ -
Guzmania	jaramilloi		18	I		\$ -
Guzmania	lingulata		12	IW		\$ -
Guzmania	loraxiana		15	W		\$ -
Guzmania	Marjan		20	W		\$ -
Guzmania	melinonis		15	IW		\$ -
Guzmania	minor		12	IW		\$ -
Guzmania	monostachia		10	W		\$ -
Guzmania	mosquerae		12	I		\$ -
Guzmania	musaica		15	W		\$ -
Guzmania	pallida		15	W		\$ -
Guzmania	patula		18	IW		\$ -
Guzmania	puyoensis		10	IW		\$ -
Guzmania	remyi		15	I		\$ -
Guzmania	rhonhofiana		25	I		\$ -
Guzmania	sanguinea		12	I		\$ -

Guzmania	squarrosa		20	C		\$ -
Guzmania	Superior		18	I		\$ -
Guzmania	weberbaueri		18	C		\$ -
Guzmania	wittmackii		25	C		\$ -
Heliconia	bihai		20	I		\$ -
Heliconia	latispatha		20	I		\$ -
Heliconia	schumanniana		18	W		\$ -
Herrania	pulcherrima		22	IW		\$ -
Iriartea	deltoidea		30	IW		\$ -
Jatropha	nudicaulis		20	W		\$ -
Kohleria	inaequalis		18	I		\$ -
Kohleria	inaequalis leaf red		18	I		\$ -
Lycopodium	lucidulum		12	IW		\$ -
Maranta	arundinacea		15	W		\$ -
Maranta	leuconeura		18	W		\$ -
Marcgravia	sintensisii		22	I		\$ -
Marcgravia	sintensisii 'Purple`		22	I		\$ -
Marcgravia	umbellata		18	I		\$ -
Mauritia	flexuosa		25	I		\$ -
Microgramma	piloselloides		10	I		\$ -
Microgramma	reptans		12	I		\$ -
Microgramma	reptans # 1		12	I		\$ -
Microgramma	reptans # 2		12	I		\$ -
Microgramma	squamulosa		12	I		\$ -
Microgramma	squamulosa 1		12	I		\$ -
Microgramma	squamulosa 2		12	I		\$ -
Monolena	trichopoda		18	I		\$ -
Monolena	wendlandii		12	W		\$ -
Monolena	wendlandii 2		15	W		\$ -
Monopyle	macrocarpa		15	IW		\$ -
Monstera	adansonii	New	30	IW		\$ -
Monstera	deliciosa		30	IW		\$ -
Monstera	lechleriana		30	I		\$ -
Monstera	pinnatipartita	New	30	IW		\$ -
Monstera	radicans	New	30	W		\$ -
Monstera	subpinnata	New	30	IW		\$ -
Nautilocalyx	corrugado		18	IW		\$ -
Nautilocalyx	ecuadorensis		20	I		\$ -
Nautilocalyx	erythranthus		18	IW		\$ -
Nautilocalyx	glandulifer		15	IW		\$ -
Nautilocalyx	glandulifer 'Santi'		18	IW		\$ -
Nautilocalyx	pallidus		20	I		\$ -
Neomortonia	rosea		35	I		\$ -
Neoregelia	aculeatosepala		12	I		\$ -
Neoregelia	Cotton Candy			I		\$ -
Neoregelia	Donna		15	W		\$ -
Neoregelia	Fireball Donger		10	IW		\$ -
Neoregelia	Intence Heart			I		\$ -
Neoregelia	Lila		18	W		\$ -
Neoregelia	Medusa			W		\$ -
Neoregelia	Michi Tm		20	IW		\$ -
Neoregelia	Puppy Love Tm		20	IW		\$ -
Neoregelia	Purple Passion		25	I		\$ -
Neoregelia	Raphael			W		\$ -
Neoregelia	Tangerine Tm		15	IW		\$ -
Neoregelia	Tricolor		20	W		\$ -
Neoregelia	Tricolor Ivan		20	W		\$ -
Neoregelia	Voodoo Doll Tm		15	IW		\$ -
Nepenthes	alata		20	W		\$ -
Nepenthes	macfarlanei			W		\$ -
Nepenthes	Miranda		15	W		\$ -
Notopleura	polyphlebia		15	I		\$ -

Oenocarpus	mapora			I		\$ -
Oxalis	vulcanicola		15	IW		\$ -
Paradrymonia	ciliosa		20	I		\$ -
Pearcea	abunda		15	I		\$ -
Pearcea	bilabiata		20	IW		\$ -
Pearcea	hypocyrtiflora		15	IW		\$ -
Pearcea	hypocyrtiflora x Episcia cupreata		15	IW		\$ -
Pearcea	reticulata		15	I		\$ -
Pearcea	schimpfii		15	IW		\$ -
Peperomia	eburnea		18	IC		\$ -
Peperomia	fraseri		15	IC		\$ -
Peperomia	futokadsura		18	W		\$ -
Peperomia	maculosa		14	W		\$ -
Peperomia	rugosa 1		12	W		\$ -
Peperomia	sandersii 1		15	I		\$ -
Peperomia	verschaffeltii		10	IW		\$ -
Peperomia	verschaffeltii 3		10	IW		\$ -
Phaedranassa	tunguraguae		22	IC		\$ -
Philodendron	acutifolium		25	I		\$ -
Philodendron	angustialatum		30	IW		\$ -
Philodendron	atenuatum.		25	I		\$ -
Philodendron	bannoniae		30	IW		\$ -
Philodendron	barrosoanum 5		25	IW		\$ -
Philodendron	barrosoanum giganteum		30	IW		\$ -
Philodendron	brandtianum		35	I		\$ -
Philodendron	Burle Marx		20	I		\$ -
Philodendron	dodsonii	New	50	IW		\$ -
Philodendron	elegans	New	30	IW		\$ -
Philodendron	ernestii	New	30	IW		\$ -
Philodendron	erubescens	New	25	IW		\$ -
Philodendron	esmeraldense		50	IW		\$ -
Philodendron	fibrosum		30	I		\$ -
Philodendron	fibrosum type	New	30	I		\$ -
Philodendron	gloriosum		30	I		\$ -
Philodendron	grandipes	New	30	I		\$ -
Philodendron	lehmannii	New	25	IW		\$ -
Philodendron	lehmannii 1	New	25	IW		\$ -
Philodendron	linnaei		22	IW		\$ -
Philodendron	longilaminatum	New	20	IW		\$ -
Philodendron	luxurians		100	I		\$ -
Philodendron	mamei		40	IW		\$ -
Philodendron	melanochrysum		60	IW		\$ -
Philodendron	melanoneuron cf	New	30	I		\$ -
Philodendron	nangaritense	New	30	IW		\$ -
Philodendron	paloraense		30	I		\$ -
Philodendron	panduriforme	New	30	I		\$ -
Philodendron	parvilobum		22	I		\$ -
Philodendron	parvilobum type	New	22	I		\$ -
Philodendron	pastazanum		30	I		\$ -
Philodendron	pinnatilobum aff		30	I		\$ -
Philodendron	plowmani	New	40	W		\$ -
Philodendron	pulchrum		20	I		\$ -
Philodendron	Red Emerald		22	IW		\$ -
Philodendron	rugapetiolatum		30	I		\$ -
Philodendron	rugosum		30	IW		\$ -
Philodendron	ruizii		22	I		\$ -
Philodendron	sagittifolium		25	IW		\$ -
Philodendron	sanctamartinense		30	I		\$ -
Philodendron	sanctamartinense type	New	30	I		\$ -
Philodendron	serpens	New	45	I		\$ -
Philodendron	smithii		20	I		\$ -
Philodendron	sodiroi		40	IW		\$ -

Philodendron	squamicaule	New	50	I		\$ -
Philodendron	squamipetiolatum		30	I		\$ -
Philodendron	subhastatum		20	IW		\$ -
Philodendron	tenue	New	40	IW		\$ -
Philodendron	undulatum 1		25	IW		\$ -
Philodendron	verrucosum	New	25	IW		\$ -
Philodendron	verrucosum 2	New	30	IW		\$ -
Philodendron	verrucosum 5		50	IW		\$ -
Philodendron	wendlandii 2	New	18	W		\$ -
Philodendron	wernerii	New	30	I		\$ -
Phlegmariurus	polycarpus		12	I		\$ -
Pilea	spruceana		15	IW		\$ -
Piper	marsupiiferum	New	22	I		\$ -
Pitcairnia	alata		15	C		\$ -
Pitcairnia	condorensis		30	IW		\$ -
Pitcairnia	rubro-nigriflora		12	W		\$ -
Platycterium	bifurcatum		20	W		\$ -
Polypodium	bombycinum		12	IW		\$ -
Polypodium	polycarpon		25	I		\$ -
Pouteria	caimito		30	IW		\$ -
Psychotria	poepigiana		18	IW		\$ -
Pyrosia	lingua		15	IW		\$ -
Racinaea	conifolium		18	I		\$ -
Racinaea	miniata 5		10	C		\$ -
Racinaea	schumanniana		15	W		\$ -
Racinaea	tetrantha		18	IW		\$ -
Ronnbergia	brasiliensis		12	I		\$ -
Selaginella	speciosa mini		12	IW		\$ -
Selaginella	umbrosa		12	IW		\$ -
Syngonium	podophyllum		15	W		\$ -
Tibouchina	urvilleana		15	I		\$ -
Tillandsia	aurea		15	IW		\$ -
Tillandsia	barthlottii		12	I		\$ -
Tillandsia	biflora var biflora		10	I		\$ -
Tillandsia	biflora var curvifolia		10	I		\$ -
Tillandsia	brenneri		12	W		\$ -
Tillandsia	bulbosa		10	W		\$ -
Tillandsia	butzii		22	I		\$ -
Tillandsia	caerulea		5	I		\$ -
Tillandsia	complanata		10	I		\$ -
Tillandsia	complanata red		10	I		\$ -
Tillandsia	Cotton Candy		18	W		\$ -
Tillandsia	crispa		15	I		\$ -
Tillandsia	cyanea		10	I		\$ -
Tillandsia	disticha		15	W		\$ -
Tillandsia	disticha var. minor		18	W		\$ -
Tillandsia	floribunda		15	W		\$ -
Tillandsia	fragrans		15	I		\$ -
Tillandsia	fraseri		12	C		\$ -
Tillandsia	funciana		9	W		\$ -
Tillandsia	fusiformis		18	W		\$ -
Tillandsia	ionantha		15	W		\$ -
Tillandsia	latifolia var. divaricata		10	I		\$ -
Tillandsia	lindenii		10	I		\$ -
Tillandsia	mima		18	I		\$ -
Tillandsia	monostachya		12	W		\$ -
Tillandsia	narthecioides		15	W		\$ -
Tillandsia	naundorffiae		18	W		\$ -
Tillandsia	petraea		18	IC		\$ -
Tillandsia	pugiformis		18	C		\$ -
Tillandsia	recurvata		5	I		\$ -
Tillandsia	scaligera		8	IC		\$ -

Tillandsia	seemannii		12	IC		\$ -
Tillandsia	straminea		10	I		\$ -
Tillandsia	tectorum		10	W		\$ -
Tillandsia	tectorum var. rupicola		12	W		\$ -
Tillandsia	umbellata		8	I		\$ -
Tillandsia	umbellata violet		17	I		\$ -
Tillandsia	undulifolia		12	IC		\$ -
Tillandsia	venusta		15	W		\$ -
Vriesea	barclayana		15	I		\$ -
Vriesea	cylindrica		15	I		\$ -
Vriesea	dubia		15	IW		\$ -
Vriesea	hitchcockiana		10	I		\$ -
Vriesea	incurva		15	I		\$ -
Vriesea	limonensis		15	I		\$ -
Vriesea	tequendamae		18	IC		\$ -
Vriesea	Tosca		18	W		\$ -
						\$ -
Name:						TOTAL AMOUNT
Address:						\$ -
Phone:						
Email:						
Delivery form:						TOTAL PLANTS
						0
Special Instructions:						

IMPORTANT INFORMATION:

1. Our prices are in US Dollars.
2. We can deliver your order from while attending an Orchid Show close to you. For direct importation, cost of CITES, Phytosanitary, etc, will depend of the number of plants that you order.
3. Climate <i>W= Refer to warm growing orchids that come from 0 to 800 m., temperature range 20 to 40 celcius, humidity 60%, light exposure high.</i> <i>C=Refer to cool growing orchids plants that come from the Andes from 2000 to 2600 m., temperature range 10 to 18 celcius, humidity 70%, light exposure low, with good air movement.</i> <i>I=Refer for intermediate environment, orchids that come from 800 to 1800 m., temperature range 15 to 25 celcius, humidity 80%, light exposure low, good air movement.</i> <i>CI=Refer to orchids that come from 1600 to 2300 m., temperature range 10 to 22 celcius, humidity 80%, light exposure media.</i>
4. Discount policy:
4% from US\$1000 to US\$3000
6% from US\$3001 to US\$4000
8% from US\$4001 to US\$5000
10% from US\$5001 to US\$7000
15% from US\$7001 to US\$10000
20% from US\$10001 to US\$15000
25% from US\$15001 to
5. Payment forms:
PayPal plus 4% fee
Bank Transfer plus \$ 20 administrative fee
For USA orders, can send a check.
Also accept payments in cash at the shows with the delivery of the order.